



2022 - 2023 PRODUCT CATALOG

OIL & GAS

FR GARMENTS | GLOVES | ACCESSORIES

Proven Protection.
At Work.

PROVEN PROTECTION

FOR PIPE WELDERS, DRILLERS, SURVEYORS, & MORE

Whether upstream, midstream, or downstream, workers in the Oil & Gas Industry are often exposed to the risk of flash fires from flammable gas and vapors. Black Stallion® offers personal safety solutions, including FR garments and gloves, that help protect workers on rigs, derricks, oilfields, tankers, and in refineries. Look for our UL, NFPA 2112, and NFPA 70E icons for FR garments certified to meet strict industry standards.



Table of Contents

NFPA 2112, NFPA 70E FR Shirts	03
NFPA 2112, NFPA 70E FR Coveralls	04
NFPA 2112, NFPA 70E FR Work Pants & Denim	05
NFPA 2112, NFPA 70E FR T-Shirts, Henleys	06-07
88/12 FR Coveralls, Shirts, Pants	08-09
Mechanics Gloves	10-11
Drivers Gloves	12
Stick Gloves	13
FR Cotton Work Shirts	14
Sleeves & Glove Extender	14
Accessories	15
FR Welding Jacket, Work Pants, Coveralls	16-17
ANSI Hi-Vis FR Jacket & Vest	18
Welding Caps	19
FR Industrial Umbrellas	20-21
Hoods & Balaclava	22
Size Charts	23



Pipeline welder photo on cover and page 2 credit to: Ryan Kirkland @kirklandwelding

7 oz. AR/FR Cotton Work Shirt

Black Stallion® AR/FR cotton meets NFPA 2112 standards for flash fire protection and NFPA 70E standards for arc flash hazard protection. Tested to retain flame resistance through 100 home washings.

- Generous fit 7 oz. flame-resistant cotton
- Shatter proof FR melamine buttons
- Stitched with FR aramid threads
- Chest pockets with flaps and pencil slot
- NFPA 2112; NFPA 70E; ATPV 8.7 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132.

WF2110-ST	S-4XL	Stone Khaki	
WF2110-GY	S-4XL	Gray	NEW COLOR
WF2110-NV	S-4XL	Navy	
WF2112-ST	S-4XL	Stone Khaki with 2" Reflective Tape	
WF2110-PB	S-4XL	Blue Plaid	NEW COLOR
WF2110-PR	S-4XL	Red Plaid	NEW COLOR
WF2110-PK	S-4XL	Khaki Plaid	



WF2110-ST

WF2110-GY

WF2110-NV



WF2112-ST



WF2110-PB

WF2110-PR

WF2110-PK



CF2117-ST

CF2117-NV

CF2117-OR

CF2117-GY

7 oz. AR/FR Cotton Coveralls

- Lighter weight 7 oz. FR cotton
- Elastic waist and action back
- 2-way FR zipper closure
- Left chest pocket with pencil slot
- Hip pockets and pass-through pockets
- NFPA 2112 certified; NFPA 70E; ATPV 8.7 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132

CF2117-ST	S-5XL	Stone Khaki
CF2117-NV	S-5XL	Navy
CF2117-OR	S-5XL	Safety Orange
CF2117-GY	S-5XL	Gray



7 oz. AR/FR Cotton Coveralls with Reflective FR Tape

- Lightweight 7 oz. flame-resistant treated cotton
- 2" FR silver reflective tape on shoulders, arms, legs
- Left chest pocket with protective flap
- Hip & pass-through pockets; 2 back pockets
- 2-way FR zipper with protective flap
- UL classified; NFPA 2112 certified
- NFPA 70E certified; ATPV 8.7 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132
- 30.5" inseam for all sizes

CF2118-ST	S-5XL	Stone Khaki
CF2118-NV	S-5XL	Navy
CF2118-GY	S-5XL	Gray



CF2118-ST

CF2118-NV

CF2118-GY

BACK



9 oz. AR/FR Cotton Coveralls

- Durable 9 oz. flame-resistant treated cotton
- Adjustable elastic waistband for a better fit
- Chest pockets with protective flaps and pencil slots
- Gusseted underarms provide greater freedom of movement
- Large hip pockets with coin catch
- 2-way FR zipper with protective flap
- NFPA 2112 certified; NFPA 70E; ATPV 10 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132

CF2215-ST	S-5XL	Stone Khaki
CF2215-NV	S-5XL	Navy
CF2215-GY	S-5XL	Gray
CF2216-ST	S-5XL	Stone with 2" Reflective Tape
CF2216-NV	S-5XL	Navy with 2" Reflective Tape
CF2216-GY	S-5XL	Gray with 2" Reflective Tape



CF2215-NV

CF2215-GY

CF2216-ST

CF2216-GY

CF2216-NV

CF2216-NV (Back)

CF2215-ST



9 oz. FR Cotton Work Pants

- 9 oz. flame-resistant cotton
- Stitched with FR aramid threads
- Zipper fly with FR button closure
- NFPA 2112; NFPA 70E; ATPV 10 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132.
- 32 - 48 waist (even sizes)

PF2220-NV	32" Inseam	Navy
PF2221-NV	34" Inseam	Navy



10.5 oz. FR Stretch Denim Jeans

- 10.5 oz. 99% cotton / 1% spandex FR denim
- Relaxed fit; classic 5-pocket jean design
- Stitched with rugged flame-resistant aramid threads
- Brass button waistband closure
- High quality brass zipper with FR aramid zipper tape
- Machine washable with FR protection through 100 home washes
- NFPA 2112; NFPA 70E, ATPV 15 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132
- 30 - 48 waist (even sizes)

FD10-30P	30" Inseam	Medium Wash
FD10-32P	32" Inseam	Medium Wash
FD10-34P	34" Inseam	Medium Wash



14 oz. FR Denim Jeans

- 14 oz. flame-resistant cotton denim
- Stitched with FR aramid threads
- Relaxed fit with 5-pocket jean design
- NFPA 2112; NFPA 70E; ATPV 21 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132.
- 30 - 48 waist (even sizes)

FD14-30P	30" Inseam	Denim
FD14-32P	32" Inseam	Denim
FD14-34P	34" Inseam	Denim
FD14-36P	36" Inseam	Denim



PROTECTION & COMFORT.

YOU CAN HAVE BOTH.

NFPA 2112 & NFPA 70E 7 oz. FR Cotton Knit Long-Sleeve T-Shirt

- 7 oz. 100% flame-resistant cotton jersey knit
- ASTM F1506; NFPA 2112 certified; UL classified
- NFPA 70E certified; ATPV 12 cal/cm² (PPE Cat 2)
- Stitched with durable flame-resistant aramid threads
- Convenient scribe pocket on left sleeve
- Tested to retain protection through 100 washes

TF2510-GY	S-4XL	Gray
TF2510-NV	S-4XL	Navy
TF2510-OR	S-4XL	Safety Orange
TF2510-LM	S-4XL	Safety Lime
TF2511-OR	S-4XL	Orange with Reflective Tape
TF2511-LM	S-4XL	Lime with Reflective Tape



TF2510-GY



TF2510-OR



TF2510-NV



TF2510-LM



TF2511-LM



TF2511-OR (Back)

Drop down "X" reflective pattern indicates when wearer's back is turned



7 oz. AR/FR Cotton Knit Henley T-Shirt


- 7 ounce 100% flame-resistant cotton jersey knit
- ASTM F1506; NFPA 2112 certified; UL classified
- NFPA 70E compliant; ATPV 12 cal/cm² (PPE Cat 2)
- Premium heat-resistant urea buttons
- Stitched with durable FR aramid threads
- Tested to retain protection through 100 washes

TF2520-GO	S-4XL	Gray/Orange
TF2520-GL	S-4XL	Gray/Lime
TF2520-NG	S-4XL	Navy/Gray




Black Stallion® FR Cotton Knit Keeps You Comfortable & Protected

The 7 oz. flame-resistant cotton jersey knit found in our TF2510 t-shirts and TF2520 henleys is constructed with looped yarns that stretch for easy motion. The yarn allows more airflow between shirt and skin for cooling breathable comfort, too. The knit is FR treated and meets NFPA 2112 and NFPA 70E standards through 100 home washings.



Looped Knit Yarns of back panel are extremely flexible, providing comfortable stretch



Knit Back Panel allows more air flow in & out for breathable comfort & cooling effect

THE COMFORT OF COTTON.

THE DURABILITY OF NYLON.

THE PROTECTION OF FLAME-RESISTANCE.



CF4017-ST

CF4017-NV

CF4017-GY

NEW Black Stallion®
88/12 FR Coveralls,
Shirts, & Pants

7 oz. 88/12 AR/FR Coveralls

- Durable 7 oz. 88/12 FR blend
- Elastic waist and action back
- 2-way FR zipper closure
- Left chest pocket with pencil slot
- Hip pockets and pass-through pockets
- NFPA 2112 certified
- NFPA 70E; ATPV 9.3 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132

CF4017-ST	S-5XL	Stone Khaki
CF4017-NV	S-5XL	Navy
CF4017-GY	S-5XL	Gray





7 oz. 88/12 AR/FR Work Shirt

- Durable 7 oz. 88/12 FR blend
- Stitched with FR aramid threads
- Chest pockets with flaps and pencil slot
- NFPA 2112; NFPA 70E; ATPV 9.3 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132.

WF4010-ST

S-4XL

Stone Khaki



7 oz. 88/12 AR/FR Work Pants

- Durable 7 oz. 88/12 FR blend
- Stitched with FR aramid threads
- Zipper fly with FR button closure
- NFPA 2112; NFPA 70E; ATPV 9.3 cal/cm² (PPE Cat 2)
- Meets OSHA 1910.269 and 1910.132.
- 32- 48 waist (even sizes)

PF4020-NV

32" Inseam

Navy



Why 88/12 FR Fabric?

Black Stallion® 88/12 is a chemically-treated blend of 88% cotton and 12% nylon that provides long-lasting FR protection. Nylon woven tightly on the inside of the FR cotton fabric adds both comfort and durability. Our 88/12 meets ASTM F1506 standards for flame resistance (100 washes), NFPA 2112 for flash fire, and NFPA 70E for arc flash protection (PPE Cat 2).



AccuFlex™ A6 Cut & Impact Resistant Hi-Vis Sandy Nitrile-Coated Knit Glove

- 13-gauge High Performance Polyethylene (HPPE) knit blend
- ANSI A6 cut resistance
- EN388 Cut Level 5 (4544)
- Hi-visibility red sandy nitrile palm & fingertips
- Impact-resistant & super flexible TPR backing
- Thumb patch reinforcement
- Color-coded binding for easy size identification
- Seamless cuff

GR5040-HR S-2XL



EN388
4544FP



AccuFlex™ A5 Cut & Impact Resistant Sandy Nitrile-Coated Knit Glove

- 13-gauge High Performance Polyethylene (HPPE) knit blend
- ANSI A5 cut resistance
- EN388 Cut Level 4 (4X43D)
- Black sandy nitrile palm & fingertips
- Impact-resistant & super flexible TPR backing
- Thumb patch reinforcement
- Color-coded binding for easy size identification
- Seamless cuff

GR4040-HB S-2XL



ToolHandz® Anti-Impact Glove with BumpPatch™

- Padded vibration-dampening palm
- ShokBlok™ 2 rubber guards for light impact protection
- Exclusive padded BumpPatch™ for side-hand comfort

GX100 M-2XL



ToolHandz® Grain Pigskin Hi-Vis Mechanics Glove

- Grain pigskin palm
- Snug spandex fit
- Sure-grip reinforced hand & fingertips
- Reflective tape on knuckles
- Strap cuff

99HV S-2XL

MAX Protection.

MAX Performance.

MAX Confidence.

All the protection, comfort, quality, & value you expect from Black Stallion...to the **MAX**.

Extreme cut, abrasion, and puncture resistance, impact protection, enhanced grip, and more give you **MAX**imum confidence to get the job done.



ToolHandz® MAX High Abrasion-Resistant Mechanics Glove

- Synthetic leather palm; spandex back
- TPR impact protection on back of hand
- PVC dot system on palm for enhanced grip
- Palm liner: ANSI Cut Level A2
- ANSI Abrasion 6
- ANSI Puncture 4

GX2025-YB S-2XL



ToolHandz® MAX Anti-Vibration Mechanics Glove

- Synthetic leather palm; spandex back
- TPR impact protection on back of hand
- Vibration-dampening palm pads
- Palm liner: ANSI Cut Level A7
- ANSI Abrasion 5
- ANSI Puncture 4

GX2327-0B S-2XL



ToolHandz® MAX High Cut-Resistant Mechanics Glove

- Synthetic leather palm; spandex back
- TPR impact protection on back of hand
- PVC dot system on palm for enhanced grip
- Palm liner: ANSI Cut Level A7
- ANSI Abrasion 6
- ANSI Puncture 5

GX2126-0B S-2XL



ToolHandz® MAX High Cut-Resistant Winter Mechanics Glove

- Synthetic leather palm; spandex back
- TPR impact protection on back of hand
- Fleece insulation with water barrier
- Palm liner: ANSI Cut Level A7
- ANSI Abrasion 6
- ANSI Puncture 5

GW2226-0B S-2XL





Grain Cowhide Palm Drivers Glove

- Grain cowhide palm with a split cowhide back
- Ergonomic keystone thumb for exceptional articulation and comfort
- Elastic wrist band for a snug and secure fit
- Durable Kevlar® stitching for spark and abrasion resistance

97K	S-3XL	Kevlar® stitching
97	S-XL	Without Kevlar® Stitching

ARC-Rated & A6 Cut-Resistant Cowhide Drivers Glove

- Grain cowhide palm with a split cowhide back
- Provides ANSI Cut Level A6 protection
- NFPA 70E compliant; ATPV=22 cal/cm² (PPE Cat 2)
- Keystone thumb and outside seam construction
- Durable Kevlar® stitching for spark and abrasion resistance



Cowhide Drivers Glove with Reinforced Palm

- Grain cowhide palm with a split cowhide back
- Reinforced palm
- Elastic wrist band for a snug and secure fit
- Kevlar® stitching

97SW	S-2XL
-------------	-------



A6 Cut & Impact Resistant Grain Cowhide Drivers Glove

- Premium grain cowhide
- ANSI Cut Level A6 protection
- NFPA 70E; ATPV 54 cal/cm² (PPE Cat 4)
- Impact resistant flexible TPR backing



A5 Cut & Impact Resistant Grain Goatskin Drivers Glove

- Extra soft grain goatskin
- ANSI Cut Level A5 HPPE blend liner
- ANSI Abrasion Level 4
- Impact resistant flexible TPR backing
- Ergonomic keystone thumb design



Proven Protection for **PIPE WELDERS**

Elkskin Stick Glove with Nomex® Lined Back

Constructed of Black Stallion® elkskin leather -- extra-thick for superior heat, flame, and abrasion resistance.

850 S-2XL

Thumb strap
reinforcement

Reversed grain palm

Kevlar® stitching



Rigid cuff

Dupont® Nomex®
lined back

Premium grain
elkskin leather



21" Split Cowhide Stick Glove with RestPatch®

- Durable split cowhide
- Long cuff design
- Exclusive RestPatch® wrist & forearm padding
- Kevlar® stitching

GS1321 M-XL



Pearl White Elkskin Stick Glove with Nomex® Lined Back

- Premium grain elkskin leather
- Dupont® Nomex® lined back
- Reversed grain palm
- Rigid cuff
- Kevlar® stitching

750 S-XL



Premium Cowhide Stick Glove with Pigskin Palm

- Grain pigskin palm
- Cowhide back
- Wool insulated back, extending through cuff
- Exclusive DragPatch® reinforcement
- Kevlar® stitching

730 M-2XL



FS7-KHK

FS8-DNM

Flame-Resistant Cotton Work Shirt

- 7 oz. flame-resistant cotton
- Generously cut for a comfortable fit
- Chest pockets
- Metal snaps

FS7-KHK	S-4XL	Khaki
FS8-DNM	S-4XL	Denim (8 oz.)



Split Cowhide Sleeves with Sling Strap

- Standard side split cowhide
- Adjustable sling shoulder strap
- Kevlar® stitching
- Sold in pairs

23SLV	23" Length
25SLV	25" Length



BSX® Split Cowhide Sleeve/Glove Extender

- 16" bracer extends glove length or wear as sleeve
- Durable split cowhide
- Elongated cushioned RestPatch®
- Kevlar® stitching

BX-EXT	One Size
---------------	----------



Easy Cooling Pipe Wrap

- FR canvas outer layer with 18 oz. fiberglass lining
- Helps control cool down, reducing weld cracking
- Adjustable sizing
- FR hook-and-loop attachments
- Kevlar® stitching

AP1010-OD-0608	Fits 6" - 8" Pipes
AP1010-OD-1012	Fits 10" - 12" Pipes
AP1010-OD-1420	Fits 14" - 20" Pipes
AP1010-OD-2228	Fits 22" - 28" Pipes
AP1010-OD-3036	Fits 30" - 36" Pipes
AP1010-OD-4048	Fits 40" - 48" Pipes



SmashPad™ Flame-Resistant Welding Mat

- FR foam cushioning provides supportive comfort when kneeling, sitting, and leaning during long welding runs
- Inherently flame-resistant fiberglass outer shell resists sparks
- Red 32 oz. silicone-coated fiberglass top surface is twice as thick for extra protection
- Convenient carry handle and FR hook & loop closures
- Easy to clean -- simply wipe off dirt and grime and dry
- Connect two or more to extend padded surface

AP3015	16"W x 19" L (16" x 9.5" when folded)
---------------	---------------------------------------

Proven Protection FOR WELDERS



Stand-up welder's collar




Easy ID FR label



Scribe pocket



Inside pocket



6 convenient snap buttons



Leather reinforcements
on all snaps



F9-32P

F09-32P

Flame-Resistant Cotton Work Pants

- 9 oz. flame-resistant cotton
- Industrial belt loops
- Rear pockets
- Waist sizes 32-48 (even sizes)

F9-32P	32" Inseam	Green
F9-34P	34" Inseam	Green
F09-32P	32" Inseam	Orange

Flame-Resistant Cotton Welding Jacket

With more features and superior quality, our 9 oz. FR cotton welding jacket provides better protection for light welding applications. Tested to maintain protection through 50 home washings. 30" length.

F9-30C	S-6XL	Green
---------------	-------	-------

Flame-Resistant Cotton Coveralls

9 oz. flame-resistant cotton provides protection from heat, sparks, and light spatter. Tested to maintain protection through 50 home washings. 32" inseam.

F9-32CA/PT	S-5XL	Green
FN9-32CA/PT	S-5XL	Navy



FR Cotton for Welders

Black Stallion® treated FR cotton (50 washes)

is made flame-resistant by the application of flame retardant chemicals. Flame-resistance is tested to ASTM F1506 criteria, using Test Method D6413. The degree of protection provided by the flame-retardant chemical reduces through the washing process. Our standard FR Cotton is tested to maintain protection through 50 home washings.



Front

Back (D-ring shown
not included)

Hi-Vis Class 3 FR Cotton Jacket

- 9 oz. ANSI-certified flame-resistant 100% cotton
- Extended 32" length
- Welder's collar
- Concealed snap front and snap wrist closures
- Back access slot for fall harness D-ring
- "X" reflective pattern on back
- Inside pocket and scribe pocket
- NFPA 70E certified; PPE Cat 2
- ANSI 107-2015 Type R, Class 3

JF1117	S-4XL	Hi-Vis Yellow
---------------	-------	---------------



Front

Back

Hi-Vis Class 2 FR Cotton Vest

- 9 oz. ANSI-certified flame-resistant 100% cotton
- 7 exterior pockets
- Dual mic tabs
- Concealed snap front
- Back access slot for fall harness D-ring
- "X" reflective pattern on back
- NFPA 70E certified; PPE Cat 2
- ANSI 107-2015 Type R, Class 2

VF1110	S-4XL	Hi-Vis Yellow
---------------	-------	---------------






Wider & longer bill offers more neck protection from arc/sun UV rays



Hidden bill flap provides extra neck protection when extended over jacket collar



Deep crown allows cap to be worn just above eyebrows and over top of ears

Stretch design accommodates all head shapes (3 sizes available)

Chafe-free flame-resistant ear coverage

Lighter colors & single-layer design keep head cooler in hot conditions

Hidden extension flap inside bill

FR Cotton Welding Cap with Hidden Bill Extension

Quite possibly the most comfortable and best-fitting welding cap ever made! And, it's flame resistant. Constructed of a unique combination of single-layer 7 oz. & 6 oz. stretch FR cotton to provide lightweight protection from sparks, with less heat trapping. Machine washable with FR protection through 50 washes.

AH1630-GS	S-L	Gray/Stone Khaki
AH1630-NG	S-L	Navy/Gray
AH1730-BL	S-L	Blue Plaid

SIZE	HEAD SIZE AT EYEBROW	HAT SIZE
Small	21" - 21.5"	6 ³ / ₄ - 6 ⁷ / ₈
Medium	21.5" - 23"	6 ⁷ / ₈ - 7 ³ / ₈
Large	23" - 25.5"	7 ³ / ₈ - 8

BSX® Silicone Grip FR Cotton Welding Cap

- 7 oz. FR cotton & FR cotton stretch knit
- Large cap bill offers more neck protection from sparks and UV rays
- Hidden flap inside bill provides extra neck protection when extended
- Non-slip silicone grip strip at forehead
- Deep crown design allows cap to be worn just above eyebrows
- Triangle panels offer chafe-free flame-resistant ear coverage
- Graphic embellishments coordinate with select BSX® jackets & gloves
- Machine washable with FR protection through 50 home washes

AH1631-NB	S-L	Navy/Black
------------------	-----	------------



Where **SHADE** is desired.

Where **FLAME RESISTANCE** is required.




Large FR label

Jam-free tilt mechanism
for directional shading



Wind vent increases
stability



Flexible fiberglass ribs
will not warp



Carrying cases included
for umbrella & stand



Heavy-duty steel tripod
stand UB50 provides stable
base for the UB200 and
UB100 umbrellas. Available
separately (not included with
UB200 or UB100)

Flame-Resistant Industrial Umbrella

- Provides needed shade in and around industrial work sites
- Powder-coated aluminum pole
- Flexible fiberglass ribs
- NFPA 701 & California Fire Marshal (CFM) compliant for flame resistance
- UV tested to UPF 50+
- 7' 6" high x 6' 8" wide
- UB50 Tripod Stand sold separately

UB100	Umbrella Only
UB50	Tripod Stand
UB150	Umbrella/Stand Combo

Lighter weight
aluminum pole

UB50 Tripod Stand
sold separately

Core FR Industrial Umbrella

- 7.5' diameter portable shade shelter for 1-2 workers
- 300 denier polyester umbrella top is NFPA 701 & CPAI-84 compliant for flame resistance
- Heavy-duty powder-coated steel poles & umbrella ribs
- Tilt mechanism offers directional shading
- Wind vents on top increase stability & maximize airflow
- Adjustable push-button locking height (87.5" max height)
- Includes convenient carry/storage bag with outside pocket
- **UB50 Tripod Stand sold separately**

UB200-YEL	Core FR Umbrella Only	Yellow/Lime
UB200-BLU	Core FR Umbrella Only	Blue
UB200-CAM	Core FR Umbrella Only	Camo
UB250-YEL	Core FR Umbrella/Tripod Stand Combo	Yellow/Lime
UB250-BLU	Core FR Umbrella/Tripod Stand Combo	Blue
UB250-CAM	Core FR Umbrella/Tripod Stand Combo	Camo
UB50	Tripod Stand	



NEW COLOR



UB200-BLU



UB200-CAM

UB50 Tripod Stand sold separately



Wind vent increase stability & maximize airflow



Durable End Caps on all ribs help prevent rips & tears



Tilt mechanism offers directional shading



300 Denier Poly top is NFPA 701 & CPAI-84 compliant



Convenient Carry Bag for fast & easy transport to & from job site

UB200-YEL

UB50 Tripod Stand sold separately



ARC-Rated Flame-Resistant Cotton Balaclava

With both NFPA 2112 & NFPA 70E certification, the AH1520-NV offers both flash fire and arc flash incident protection. One size.

AH1520-NV FR Cotton



Heavy-Duty Nomex® Knit Balaclava

- Double layer Nomex® knit
- Front and back drapes
- NFPA 70E
- ATPV 8.9 cal/cm² (PPE Cat 2)
- One size

NH400 Nomex® Knit



Double Layer Nomex® Knit Balaclava

- Double layer head protection
- Single layer circular neck drape
- NFPA 70E
- ATPV 8.9 cal/cm² (PPE Cat 2)
- One size

NH200 Nomex® Knit



Nomex® Double Layer Knit Neck Gaiter

- Double layer (2 ply) Nomex® knit
- NFPA 70E compliant
- ATPV 8.9 cal/cm² (PPE Cat 2)
- Machine washable (no bleach)
- Made in USA

AH3560-WH Nomex® Knit



FR Cotton Knit Neck Gaiter

- 7 oz. FR cotton knit
- Durable para-aramid threads
- NFPA 70E compliant
- ATPV 12 cal/cm² (PPE Cat 2)
- Tested to ASTM F1506

AH1565-GY Cotton



GLOVE & APPAREL SIZING

GLOVE SIZING

To determine a glove size, measure (in inches) around the hand with a tape measure across the palm. For best results, measure the dominant hand, the right for a right-handed person, and the left if the person is left-handed. Compare the measurement to the table on the right to find the corresponding glove size.




JACKET & SHIRT SIZING

Take the chest measurement by measuring under the armpits around the fullest part of the chest. Take the sleeve measurement by extending arm with elbow bent as indicated in the picture, and measuring from the nape of the neck, around the elbow, and to the wrist. Find your jacket/work shirt size in the table to the right.

PANTS & COVERALLS SIZING

Take the waist measurement where the belt is normally worn. Measure loosely with one finger between the body and measuring tape. Find your pants size in the table to the right. For custom orders, please also provide the inseam measurement.



GLOVES

SIZE	XS	S	M	L	XL	2XL	3XL
Men's	6"-7"	7"-8"	8"-9"	9"-10"	10"-11"	11"-12"	12"-13"
Women's	6"-7¼"	7¼"-7½"	7½"-7¾"	7¾"-8"	8"-8¼"	-	-

To accommodate extra-long fingers and/or fingernails, please consider choosing one size up.

MEN'S JACKETS & SHIRTS

SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
Chest	33"-37"	37"-41"	41"-45"	45"-49"	49"-53"	53"-57"	57"-61"	61"-65"
Sleeve	33"	34"	34"	36"	36"	37"	37"	38"

MEN'S PANTS

SIZE	32	34	36	38	40	42	44	46	48
Waist	34"-36"	36"-38"	38"-40"	40"-42"	42"-44"	44"-46"	46"-48"	48"-50"	50"-52"

COVERALLS (CF2215, CF2216, F9-32CA/PT, FN9-32CA/PT)

SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
Chest Size (suit coat size)	36/38	40/42	44/46	48/50	52/54	56/58	60/62	64/66
Chest Measurement	44	48	52	56	60	64	68	72
Waist	42	45	48	51	54	57	60	63
Inseam	30	30	32	32	34	34	34	35
Torso	38	38	40	40	42	42	42	44
Sleeve Length	34.5	34.5	35.5	35.5	37.5	38.5	40.5	42.5

COVERALLS (CF2217, CF4017)

SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
Chest Size (suit coat size)	34/36	38/40	42/44	46/48	50/52	54/56	58/60	62/64
Chest Measurement	44.5	48.5	52.5	56.5	60.5	64.5	68.5	72.5
Waist	39	42	45	49	54	58	62	66
Inseam	30.5	30.5	30.5	30.5	30.5	30.5	30.5	30.5
Torso	38	38	40	40	42	42	44	44
Sleeve Length	32	33	34	35	36	36.5	37	37



Black Stallion®

 800.527.3826 562.777.1588  800.738.2690  CS@BlackStallion.com

 www.BlackStallion.com  10747 Norwalk Blvd., Santa Fe Springs, CA 90670