

Eaton BR2L125RP

Catalog Number: BR2L125RP

Eaton BR main lug loadcenter,Rainproof, furnished with hub closure plates,Main lug,125 A,6R,Aluminum,Cover included,NEMA 3R,Metallic,10 kAIC,2 Spaces,4 Circuits,Three-wire,Single-phase



General specifications

Product Name	Catalog Number
Eaton BR main lug loadcenter	BR2L125RP
UPC	Product Length/Depth
786689339418	9.5 in
Product Height	Product Width
3.3 in	4.5 in
Product Weight	Certifications
6.5 lb	UL 50
	UL 67

Catalog Notes

Ground bar kit priced separately.
Suitable for use as service equipment
when no more than 2 service
disconnecting mains are provided or
when not used as lighting & appliance
panelboard

defaultTaxonomyAttributeLabel

Amperage Rating

125 A

Bus material

Aluminum

Cover

Cover included

Number of circuits

4

Number of spaces

2

Phase

Single-phase

Used with

Type BR 1-inch breakers

Voltage rating

120/240 V

Wire size

#14-1/0 AWG Cu/Al

Box size

6R

Enclosure

NEMA 3R

Enclosure material

Metallic

Interrupt rating

10 kAIC

Number of wires

3

Resources

Brochures

[Loadcenters and Circuit Breakers](#)

[Type BR Arc Fault Circuit Breakers and Loadcenters](#)

Catalogs

[Loadcenters and circuit breakers](#)

Specifications and datasheets

[Eaton Specification Sheet - BR2L125RP](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)